by. Prof. Pazar Keninan Shanii Last Mounted. April 22, 2020
Operating System Structures MCQs
1.operating system called a thousand systems are executed per
A. hour B. day C. min D. sec E. None of these
☐ Answer - Click Here:
D
A web-based computing system, the computer used are normally?
A. servers B. personal computers C. tablets D. network computers E. None of these
☐ Answer - Click Here:
D
3. Choose one of the best options from the following. Dump of memory of the computer system is examined by the?
A.programmer B. debugger C.designer D.engineer E. None of these
☐ Answer - Click Here:
В
4.Indicate one of the best options from the following. CloseHandle() call function in windows operating system is a UNIX's function called for
A. fork() B. close() C. read() D. open()

E. None of these

В

A. networking

■ Answer - Click Here:

5. Which is not provided by the operating system is\_\_\_\_\_

Microsoft MS Word MCQs Introduction to Computing MCQs Operating Systems Networks MCQs Digital Logic Design MCQs Artificial Intelligence MCQs Compiler Construction MCQs Computer Architecture MCQs Discrete Mathematics MCQs BASIC ELECTRONICS MCQs Computer Graphics MCQs HTML MCQs Technical Report Writing MCQs Digital Image processing MCQs Mobile Android Applications MCQs Advance Software Engineering MCQs Software Testing MCQs Web Security and Forensics MCQs Viruses and Security Microsoft Windows MCQs HTML MCQs Diode and Application Electronics MCQs MCQs Analysis of Algorithms CSS MCQs PHP MCQs Video Mixing MCQs Computer Science MCQs Leaks PDF EBook by Fazal Rehman Shamil Java MCQs Inheritance MCQs MIS MCQs

Graphic Design MCQs

Series and Parallel Sequences

C array dataction	
C. error detection	
D. program execution	
E. None of these	
Answer - Click Here:	
A	
6.Choose one of the best options from the following. Chain of the program of a	
computer system is as strong as its	
A. strongest link	
B. weakest link	
C. all links	
D. mid link	
E. None of these	
☐ Answer - Click Here:	
В	
7.Which is Friendly user interface provided by operating system	
A. graphical user interface	
B. command-line interface	
C. batch interface	
D. device interface	
E. None of these	
2. Note of these	
☐ Answer - Click Here:	
Answer - Click Here:	
A	
A	
8 Indicate one of the best options from the following. Bourne-again-shell of the	
8.Indicate one of the best options from the following. Bourne-again-shell of the	
8.Indicate one of the best options from the following. Bourne-again-shell of the operating system is used by	
operating system is used by	
operating system is used by  A. windows	
operating system is used by  A. windows  B. Windows and Mac	
operating system is used by  A. windows  B. Windows and Mac  C. Linux	
operating system is used by  A. windows  B. Windows and Mac	
operating system is used by  A. windows  B. Windows and Mac  C. Linux	
operating system is used by  A. windows  B. Windows and Mac  C. Linux  D. UNIX and Linux	
operating system is used by  A. windows  B. Windows and Mac  C. Linux  D. UNIX and Linux	
operating system is used by  A. windows B. Windows and Mac C. Linux D. UNIX and Linux E. None of these	
operating system is used by  A. windows B. Windows and Mac C. Linux D. UNIX and Linux E. None of these	
operating system is used by  A. windows B. Windows and Mac C. Linux D. UNIX and Linux E. None of these	
operating system is used by  A. windows B. Windows and Mac C. Linux D. UNIX and Linux E. None of these	
operating system is used by  A. windows B. Windows and Mac C. Linux D. UNIX and Linux E. None of these	
A. windows B. Windows and Mac C. Linux D. UNIX and Linux E. None of these  Answer - Click Here:	
A. windows B. Windows and Mac C. Linux D. UNIX and Linux E. None of these  Answer - Click Here:	
A. windows B. Windows and Mac C. Linux D. UNIX and Linux E. None of these  Answer - Click Here:  D  9. Which Number of byte to be read into a buffer of the system is	
A. windows B. Windows and Mac C. Linux D. UNIX and Linux E. None of these  Answer - Click Here:  D  9. Which Number of byte to be read into a buffer of the system is  A. WORD bytes to write B. WORD bytes to read	
operating system is used by  A. windows B. Windows and Mac C. Linux D. UNIX and Linux E. None of these  Answer - Click Here:  D  9. Which Number of byte to be read into a buffer of the system is  A. WORD bytes to write B. WORD bytes to read C. DWORD bytes to write	
A. windows B. Windows and Mac C. Linux D. UNIX and Linux E. None of these  Answer - Click Here:  D  9. Which Number of byte to be read into a buffer of the system is  A. WORD bytes to write B. WORD bytes to read C. DWORD bytes to read D. DWORD bytes to read	
operating system is used by  A. windows B. Windows and Mac C. Linux D. UNIX and Linux E. None of these  Answer - Click Here:  D  9. Which Number of byte to be read into a buffer of the system is  A. WORD bytes to write B. WORD bytes to read C. DWORD bytes to write	
A. windows B. Windows and Mac C. Linux D. UNIX and Linux E. None of these  Answer - Click Here:  D  9. Which Number of byte to be read into a buffer of the system is  A. WORD bytes to write B. WORD bytes to read C. DWORD bytes to read E. None of these	
A. windows B. Windows and Mac C. Linux D. UNIX and Linux E. None of these  Answer - Click Here:  D  9. Which Number of byte to be read into a buffer of the system is  A. WORD bytes to write B. WORD bytes to read C. DWORD bytes to read D. DWORD bytes to read	
A. windows B. Windows and Mac C. Linux D. UNIX and Linux E. None of these  Answer - Click Here:  D  9. Which Number of byte to be read into a buffer of the system is  A. WORD bytes to write B. WORD bytes to read C. DWORD bytes to read E. None of these  Answer - Click Here:	
A. windows B. Windows and Mac C. Linux D. UNIX and Linux E. None of these  Answer - Click Here:  D  9. Which Number of byte to be read into a buffer of the system is  A. WORD bytes to write B. WORD bytes to read C. DWORD bytes to read E. None of these	
A. windows B. Windows and Mac C. Linux D. UNIX and Linux E. None of these  Answer - Click Here:  D  9. Which Number of byte to be read into a buffer of the system is  A. WORD bytes to write B. WORD bytes to read C. DWORD bytes to read E. None of these  Answer - Click Here:	
A. windows B. Windows and Mac C. Linux D. UNIX and Linux E. None of these  Answer - Click Here:  D  9. Which Number of byte to be read into a buffer of the system is  A. WORD bytes to write B. WORD bytes to read C. DWORD bytes to read E. None of these  Answer - Click Here:  D	
A. windows B. Windows and Mac C. Linux D. UNIX and Linux E. None of these  Answer - Click Here:  D  9. Which Number of byte to be read into a buffer of the system is  A. WORD bytes to write B. WORD bytes to read C. DWORD bytes to read E. None of these  Answer - Click Here:	

B. Windows and Macintosh
C. Macintosh and LINUX

MCG2 Arrays MCQs Questions Answers - C++ Pointers Solved MCQs **Questions Answers** Stacks Solved MCQs Questions Answers WordPress MCQs Questions Answers Corel DRAW Quiz Test Solved Mcqs Questions with Answers Corel Draw MCQs for Graphic Designer Job Test Operator overloading Solved MCQ's (OOP) Polymorphism Mcqs In Object Oriented Programming(OOP) Autocad Solved MCQs – Jobs Test Social Networks MCQs Solved Questions Answers Domain name system solved MCQs Quesitons Answers ABRIVIATIONS stand for MCQs Iterative Model MCQs Solved **Questions Answers** C++ Array Solved MCQs **Questions Answers** incremental Model Solved MCQs and Questions Answers UML diagrams solved MCQs **Questions Answers** Cyber Crime Solved MCQs Questions Answers. Technology Management MCQs Integrity constraints MCQ Answers Database functions and procedure MCQs Answers C++ STANDARD LIBRARY MCQs Questions Answers Storage area network MCQs **Questions Answers** PHP MyAdmin MCQs Questions

Answers

Answers

WIFI MCQs

Oracle MCQ's Questions

D. Linux and UNIX E. None of these
☐ Answer - Click Here:
D
11.Programs of the operating system end
A. Interval
B. Interruptedly C. Normally
D. Erroneously
E. None of these
☐ Answer - Click Here:
C
12.Choose the best option from the following. The main functionality of command interpreter of the operating system is to
A. remove commands
B. execute commands
C. fetch commands D. Decode commands
E. None of these
☐ Answer - Click Here:
В
13.Power failure of a computer system is one of kinds of
A. error
B. outputs
C. inputs D. Interrupts
E. None of these
☐ Answer - Click Here:
A
14. MAC is a?
A. What is the command-line interface
B. batch interface
C. graphical user interface D. device interface
E. None of these
☐ Answer - Click Here:
C
15. Choose one of the best options. A buffer of the system from where data will be read is called
A. LVOID buffer
B. LPVOID buffer
C. PVOID buffer
D. VOID buffer E. None of these

Answer - Click Here:
В
16. The buffer of the system from where data will be read is known as
A. LPVOID buffer B. PVOID buffer C. LVOID buffer D. VOID buffer E. None of these
☐ Answer - Click Here:
C
17. X-windows operating system is a user's interface that is a common version of?
A. windows B. MAC OS C. Linux D. UNIX E. None of these
☐ Answer - Click Here:
D
18.Indicate best answer. Operating system is mainly comprised of
A. third party programs B. user programs C. system programs D. both B and C E. None of these
□ Answer - Click Here:
D
19.For authentication purpose, operating system requires
A. personal computers B. servers C. login authentication D. network computers E. None of these
☐ Answer - Click Here:
C
20.Choose bset option. In icon based system menus are displayed on
A. programs B. memory C. screen/desktop D. Interfaces E. None of these
☐ Answer - Click Here:

21.Windows explorer program are
A. command line interface B. batch interface C. graphical user interface D. device interface E. None of these
☐ Answer - Click Here:
С
22.Operating system programs that are manipulated are asked by the?
A. programmer B. open source C. user D. operating system E. None of these
☐ Answer - Click Here:
C
23.1st version of internet explorer was introduced in
A. 20-Jul-90 B. 16-Aug-95 C. 16-Feb-98 D. 16-Jan-00 E. None of these
☐ Answer - Click Here:
В
24. System calls of operating system is done by?
A. caller B. programmer C. developer D. engineer E. None of these
☐ Answer - Click Here:
A
25. Which is the best option? Choice of shells in command interpreters of the operating system is chosen by
A. windows B. users C. processes D. operating system E. None of these
☐ Answer - Click Here:
D

system is chosen by
A. operating system
B. users
C. windows
D. processes
E. None of these
☐ Answer - Click Here:
C
27. Indicate the best option. X windows operating system is a user interface that
is
A. command-line interface
B. device interface
C. batch interface
D. graphical user interface
E. None of these
☐ Answer - Click Here:
D
28. For allocating resources <u>Central Processing Unit</u> has individual
A. routines
B. devices
C. programs
D. Processes
E. None of these
☐ Answer - Click Here:
A
29. What is an abbreviation of MAC operating system
A. main operating system
B. memory operating system
C. Macintosh operating system
D. <u>mainframe operating system</u>
E. None of these
☐ Answer - Click Here:
C
30. Indicate the best option. The common desktop environment program of an
operating system is a?
A. command-line interface
B. device interface
C. batch interface
D. graphical user interface
E. None of these
☐ Answer - Click Here:
D
31 Local deskton environment program of the operating system is a 2

31. Local desktop environment program of the operating system is a\_\_\_\_?

A. batch interface
B. graphical user interface
C. command line interface
D. device interface
E. None of these
☐ Answer - Click Here:
A
32.Indicate best option. In graphical user interface users uses
A. file based interface
B. mouse based Pointing
C. command line interface
D. voice based interface
E. None of these
☐ Answer - Click Here:
В
33.Date of computer system and getting time is
A. process control
B. information maintenance
C. device management
D. file management
E. None of these
☐ Answer - Click Here:
В
B  34.Choose best option from the following. Readfile() function of operating system is for reading
34.Choose best option from the following. Readfile() function of operating system is for reading
34.Choose best option from the following. Readfile() function of operating system is for
34.Choose best option from the following. Readfile() function of operating system is for reading  A. command
34.Choose best option from the following. Readfile() function of operating system is for reading  A. command B. processes
34.Choose best option from the following. Readfile() function of operating system is for reading  A. command B. processes C. files
34.Choose best option from the following. Readfile() function of operating system is for reading  A. command B. processes C. files D. programs
34.Choose best option from the following. Readfile() function of operating system is for reading  A. command B. processes C. files D. programs E. None of these
34.Choose best option from the following. Readfile() function of operating system is for reading  A. command B. processes C. files D. programs E. None of these
34.Choose best option from the following. Readfile() function of operating system is for reading  A. command B. processes C. files D. programs E. None of these  Answer - Click Here:  C
34.Choose best option from the following. Readfile() function of operating system is for reading  A. command B. processes C. files D. programs E. None of these  Answer - Click Here:  C  35.When error appear, program of operating system automatically gets?
34.Choose best option from the following. Readfile() function of operating system is for reading  A. command B. processes C. files D. programs E. None of these  Answer - Click Here:  C  35.When error appear, program of operating system automatically gets?  A. Executed
34.Choose best option from the following. Readfile() function of operating system is for reading  A. command B. processes C. files D. programs E. None of these  Answer - Click Here: C  35.When error appear, program of operating system automatically gets?  A. Executed B. stored
34.Choose best option from the following. Readfile() function of operating system is for reading  A. command B. processes C. files D. programs E. None of these  Answer - Click Here:  C  35.When error appear, program of operating system automatically gets?  A. Executed B. stored C. aborted
34.Choose best option from the following. Readfile() function of operating system is for reading  A. command B. processes C. files D. programs E. None of these  Answer - Click Here:  C  35.When error appear, program of operating system automatically gets?  A. Executed B. stored C. aborted D. Declined
34.Choose best option from the following. Readfile() function of operating system is for reading  A. command B. processes C. files D. programs E. None of these  Answer - Click Here: C  35.When error appear, program of operating system automatically gets?  A. Executed B. stored C. aborted D. Declined E. None of these
34.Choose best option from the following. Readfile() function of operating system is for reading  A. command B. processes C. files D. programs E. None of these  Answer - Click Here:  C  35.When error appear, program of operating system automatically gets?  A. Executed B. stored C. aborted D. Declined E. None of these  Answer - Click Here:
34.Choose best option from the following. Readfile() function of operating system is for reading  A. command B. processes C. files D. programs E. None of these  Answer - Click Here: C  35.When error appear, program of operating system automatically gets?  A. Executed B. stored C. aborted D. Declined E. None of these  Answer - Click Here: C

B. LPDWORD bytes to read C. LPDWORD bytes to write

D. DWORD bytes to write
E. None of these
☐ Answer - Click Here:
В
37. Communication between devices of the system is provided by
A. graphical user interfacing
B. message passing
C. shared memory
D. both b and c
E. None of these
☐ Answer - Click Here:
D
38. Indicate the best option from the following. System calls of an operating system
provide an interface to
provide an interruce to
A. programs
B. processes
C. Utilities
D. services
E. None of these
☐ Answer - Click Here:
D
39. KornShell of operating system program is used by the?
by nomenon or operating system program is used by the
A. Linux
A. Linux B. UNIX
B. UNIX
B. UNIX C. windows
B. UNIX C. windows D. both a and b
B. UNIX C. windows D. both a and b
B. UNIX C. windows D. both a and b E. None of these
B. UNIX C. windows D. both a and b E. None of these
B. UNIX C. windows D. both a and b E. None of these
B. UNIX C. windows D. both a and b E. None of these  Answer - Click Here:
B. UNIX C. windows D. both a and b E. None of these  Answer - Click Here:  D  40. Choose one of the best options. one that is not a system call category of the
B. UNIX C. windows D. both a and b E. None of these  Answer - Click Here:
B. UNIX C. windows D. both a and b E. None of these  Answer - Click Here:  D  40. Choose one of the best options. one that is not a system call category of the program is
B. UNIX C. windows D. both a and b E. None of these  Answer - Click Here:  D  40. Choose one of the best options. one that is not a system call category of the program is A. process control
B. UNIX C. windows D. both a and b E. None of these  Answer - Click Here:  D  40. Choose one of the best options. one that is not a system call category of the program is
B. UNIX C. windows D. both a and b E. None of these  Answer - Click Here:  D  40. Choose one of the best options. one that is not a system call category of the program is  A. process control B. protection
B. UNIX C. windows D. both a and b E. None of these  Answer - Click Here:  D  40. Choose one of the best options. one that is not a system call category of the program is  A. process control B. protection C. file generation
B. UNIX C. windows D. both a and b E. None of these  Answer - Click Here:  D  40. Choose one of the best options. one that is not a system call category of the program is  A. process control B. protection C. file generation D. communication
B. UNIX C. windows D. both a and b E. None of these  Answer - Click Here:  D  40. Choose one of the best options. one that is not a system call category of the program is  A. process control B. protection C. file generation D. communication
B. UNIX C. windows D. both a and b E. None of these  Answer - Click Here:  D  40. Choose one of the best options. one that is not a system call category of the program is  A. process control B. protection C. file generation D. communication E. None of these  Answer - Click Here:
B. UNIX C. windows D. both a and b E. None of these  Answer - Click Here:  D  40. Choose one of the best options. one that is not a system call category of the program is  A. process control B. protection C. file generation D. communication E. None of these
B. UNIX C. windows D. both a and b E. None of these  Answer - Click Here:  D  40. Choose one of the best options. one that is not a system call category of the program is  A. process control B. protection C. file generation D. communication E. None of these  Answer - Click Here:
B. UNIX C. windows D. both a and b E. None of these  Answer - Click Here:  D  40. Choose one of the best options. one that is not a system call category of the program is  A. process control B. protection C. file generation D. communication E. None of these  Answer - Click Here:  C
B. UNIX C. windows D. both a and b E. None of these  Answer - Click Here:  D  40. Choose one of the best options. one that is not a system call category of the program is  A. process control B. protection C. file generation D. communication E. None of these  Answer - Click Here:
B. UNIX C. windows D. both a and b E. None of these  Answer - Click Here:  D  40. Choose one of the best options. one that is not a system call category of the program is  A. process control B. protection C. file generation D. communication E. None of these  Answer - Click Here:  C
B. UNIX C. windows D. both a and b E. None of these  Answer - Click Here:  D  40. Choose one of the best options. one that is not a system call category of the program is  A. process control B. protection C. file generation D. communication E. None of these  Answer - Click Here:  C  41.GNOME is a project that was created by?  A. GNU
B. UNIX C. windows D. both a and b E. None of these  Answer - Click Here:  D  40. Choose one of the best options. one that is not a system call category of the program is  A. process control B. protection C. file generation D. communication E. None of these  Answer - Click Here:  C  41.GNOME is a project that was created by?

E. None of these

	Answer - Click Here:
	A
	In the local interpreter environment of the operating system, commands are ecuted by?
Α.	windows
В.	Linux
	itself
	UNIX
Ε.	None of these
	Answer - Click Here:
	C
43	Delete file of programs and create are
Α.	process control
	device management
	file management
	information maintenance
E.	None of these
	Answer - Click Here:
	C
44	. Allocation of output and input devices are provided by
	Mediators
	operating system
	Moderators
	Processors None of these
	None of these
	Answer - Click Here:
	В
45	. In Linux rm file.text commend is used for?
	remove graphics
	remove the text file
	remove image
	remove video None of these
	Answer - Click Here:
	В
46	Between <u>application programming interface</u> and system calls, there present a/an
	_
Α.	relationship
	interface
C.	correlation
	Dependency
E.	None of these
	Answer - Click Here:

47. A Logical extension of multiprogramming operating system is
A. single programing B. multi-tasking C. Time-sharing D. both b and c E. None of these
☐ Answer - Click Here:
D
48. Multiprogramming of computer system increases?
A. memory B. CPU utilization C. storage D. cost of computation E. None of these
☐ Answer - Click Here:
В
49. The environment in which programs of the system are executed is called?
A. nodes B. operating system C. clustered system D. both a and b E. None of these
☐ Answer - Click Here:
В
50. Every user of computer system that uses computer services has at least
A. 2programs B. 1program C. 3programs D. 4programs E. None of these
☐ Answer - Click Here:
В
51. System resources of computer can be utilized better in?
A. single program environment B. multi program environment C. core environment D. dual program environment E. None of these
☐ Answer - Click Here:

A. Solaris
B. UNIX
C. Linux
D. windows
E. None of these
☐ Answer - Click Here:
D
53. Run time support system is a system that is provided by?
A. Cystam call routines are mostly written in
A. System call routines are mostly written in B. system programs
C. <u>processes system</u>
D. calls interface
E. None of these
☐ Answer - Click Here:
D
54. Catting dayica attributes of the computer is a 2
54. Getting device attributes of the computer is a?
A. process control B. information maintenance
C. device management
D. file management
E. None of these
☐ Answer - Click Here:
В
D C C C C C C C C C C C C C C C C C C C
55. Environment for execution of programs is provided by?
A. inputs
B. operating system
C. outputs
D. memory E. None of these
E. Notie of these
☐ Answer - Click Here:
В
56.Indicate best option interfaces of operating system provides
A. portability
B. designing
C. Reusability
D. Optimization
E. None of these
☐ Answer - Click Here:
A
57. Aqua user interface was appeared with?
A. windows

B. shells

52. Win32 application programming interfaces is for \_\_\_\_\_?

C. Bourne shell D. MAC OS E. None of these
☐ Answer - Click Here:
D
58. Choose one of the best options. directories in Linux are known as
A. commands B. graphics C. folders D. text E. None of these
☐ Answer - Click Here:
C
59. In command rm file.text of operating system program, file.txt is a?
A. file type B. file name C. format D. both a and b E. None of these
☐ Answer - Click Here:
D
60. System call routines of the operating systems are mostly written in?
A. java B. C++ C. C D. both b and c
E. None of these  □ Answer - Click Here:
D D
61.Operating System is responsible for transferring data to?
A. memory B. monitor C. ALU D. I/O devices E. None of these
☐ Answer - Click Here:
D
62.Parameters of programs on stack are?
A. copied B. pushed C. popped D. both b and c E. None of these

☐ Answer - Click Here:
D
63. One that is not a type of user interface of the operating system is?
A. command-line interface B. device interface C. batch interface D. graphical user interface E. None of these
☐ Answer - Click Here:
В
64. Communication, operating system moves
A. processes B. programs C. packets D. Modules E. None of these
☐ Answer - Click Here:
C
65. To point a folder or file a Graphical User Interface uses?
A. voice based interface B. common line interface C. file based interface D. pointer E. None of these
☐ Answer - Click Here:
D